SACRAMENTO METROPOLITAN AQMD

RULE 801 - NEW SOURCE PERFORMANCE STANDARDS

(Adopted 11-19-91; Amended 9-7-93, 3-7-96, 8-1-96, 4-2-98, 6-28-01, 1-22-04)

The provisions of Title 40, of the Code of Federal Regulations, Part 60 (40 CFR 60) in effect 1-22-04, applicable to the Subparts listed in this Regulation are hereby adopted by reference and made part of the Rules and Regulations of the District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the standards, criteria, and requirements set forth herein. For the purpose of this rule, the word "Administrator" as used in 40 CFR shall mean the Air Pollution Control Officer, of the Sacramento Metropolitan Air Quality Management District, except that the Air Pollution Control Officer shall not be empowered to approve alternate or equivalent test methods, alternate standards or work practices. Other deviations from these federal standards as presented in the CFR are noted in the affected Subpart. District authority to implement and enforce these subparts will not be effective until the U.S. Environmental Protection Agency formally delegates such authority to the District.

SUBPART A GENERAL PROVISIONS

Date First Adopted (40FR53346, Nov. 17, 1975) Date Last Amended (68FR69043, Dec. 11, 2003)

SUBPART D

STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971

Date First Adopted (39FR20791, Jun. 14, 1974) Date Last Amended (65FR61752, Oct. 17, 2000)

SUBPART Da

STANDARDS OF PERFORMANCE FOR ELECTRIC UTILITY STEAM GENERATING UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPTEMBER 18, 1978

Date First Adopted (44FR33613, Jun. 11, 1979) Date Last Amended (66FR42610, Aug. 14, 2001)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART Db

STANDARDS OF PERFORMANCE FOR INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

Date First Adopted (51FR42768, Nov. 25, 1986) Date Last Amended (66FR49834, Oct. 1, 2001)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART Dc

STANDARDS OF PERFORMANCE FOR SMALL INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

Date First Adopted (55FR37674, Sept. 12, 1990) Date Last Amended (65FR61753, Oct. 17, 2000)

SUBPART E

STANDARDS OF PERFORMANCE FOR INCINERATORS

Date First Adopted (36FR24877, Dec. 23, 1971) Date Last Amended (65FR61753, Oct. 17, 2000)

SUBPART Ea

STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS FOR WHICH CONTRUCTION IS COMMENCED AFTER DECEMBER 20, 1989 AND ON OR BEFORE SEPTEMBER 20, 1994

Date First Adopted (56FR5488, Feb. 11, 1991)
Date Last Amended (65FR61753, Oct. 17, 2000)

SUBPART Eb

STANDARDS OF PERFORMANCE AND EMISSIONS GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS

Date First Adopted (60FR65387, Dec. 19, 1995) Date Last Amended (66FR57827, Nov. 16, 2001)

SUBPART Ec

STANDARDS OF PERFORMANCE FOR HOSPITAL/MEDICAL/INFECTIOUS WASTE INCINERATORS

Date First Adopted (62FR48348, Sep. 15, 1997) Date Last Amended (65FR61753, Oct. 17, 2000)

SUBPART F STANDARDS OF PERFORMANCE FOR PORTLAND CEMENT PLANTS

Date First Adopted (36FR24877, Dec. 23, 1971) Date Last Amended (65FR61753, Oct. 17, 2000)

SUBPART G STANDARDS OF PERFORMANCE FOR NITRIC ACID PLANTS

Date First Adopted (39FR20794, Jun. 14, 1974) Date Last Amended (54FR6666, Feb. 14, 1989)

SUBPART H STANDARDS OF PERFORMANCE FOR SULFURIC ACID PLANTS

Date First Adopted (39FR20794, Jun. 14, 1974) Date Last Amended (65FR61753, Oct. 17, 2000)

SUBPART I STANDARDS OF PERFORMANCE FOR HOT MIX ASPHALT FACILITIES

Date First Adopted (39FR9314, Mar. 8, 1974) Date Last Amended (54FR6667, Feb. 14, 1989)

SUBPART J STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES

Date First Adopted (39FR9315, Mar. 8, 1974) Date Last Amended (65FR61755, Oct. 17, 2000)

SUBPART K

STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JUNE 11, 1973, AND PRIOR TO MAY 19, 1978.

Date First Adopted (39FR9317, Mar. 8, 1974) Date Last Amended (65FR61755, Oct. 17, 2000)

SUBPART Ka

STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER MAY 18, 1978, AND PRIOR TO JULY 23, 1984.

Date First Adopted (45FR23379, Apr. 4, 1980) Date Last Amended (65FR78275, Dec. 14, 2000)

SUBPART Kb

STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC LIQUID STORAGE VESSELS (INCLUDING PETROLEUM LIQUID STORAGE VESSELS) FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JULY 23, 1984

Date First Adopted (52FR11420, Apr. 8, 1987)

Date Last Amended (68FR59333, Oct. 15, 2003)

NOTE: Any violation of provision 60.113.b, testing procedures, determined by the Air Pollution Control Officer, shall constitute a violation of Subpart Kb.

SUBPART L STANDARDS OF PERFORMANCE FOR SECONDARY LEAD **SMELTERS**

Date First Adopted (39FR9317, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)

SUBPART M STANDARDS OF PERFORMANCE FOR SECONDARY BRASS AND BRONZE PRODUCTION PLANTS

Date First Adopted (39FR9318, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)

SUBPART N STANDARDS OF PERFORMANCE FOR PRIMARY EMISSIONS FROM BASIC OXYGEN PROCESS FURNACES FOR WHICH CONSTRUCTION IS COMMENCED AFTER

JUNE 11, 1973

Date First Adopted (39FR9318, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)

SUBPART Na STANDARDS OF PERFORMANCE FOR SECONDARY

EMISSIONS FROM BASIC **OXYGEN PROCESS STEELMAKING FACILITIES FOR** WHICH CONSTRUCTION IS COMMENCED AFTER JANUARY 20,

1983

Date First Adopted (51FR161, Jan. 2, 1986) Date Last Amended (65FR61756, Oct. 17, 2000)

SUBPART O STANDARDS OF **PERFORMANCE FOR SEWAGE** TREATMENT PLANTS

Date First Adopted (39FR9319, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)

STANDARDS OF PERFORMANCE FOR PRIMARY COPPER SUBPART P **SMELTERS**

Date First Adopted (41FR2338, Jan. 15, 1976) Date Last Amended (65FR61756, Oct. 17, 2000)

SUBPART Q STANDARDS OF PERFORMANCE FOR PRIMARY ZINC SMELTERS

Date First Adopted	(41FR2340, Jan. 15, 1976)
Date Last Amended	(54FR6669, Feb. 14, 1989)

SUBPART R STANDARDS OF PERFORMANCE FOR PRIMARY LEAD SMELTERS

Date First Adopted (41FR2340, Jan. 15, 1976) Date Last Amended (54FR6669, Feb. 14, 1989)

SUBPART S STANDARDS OF PERFORMANCE FOR PRIMARY ALUMINUM REDUCTION PLANTS

Date First Adopted (45FR44207, Jun. 30, 1980) Date Last Amended (65FR61757, Oct. 17, 2000)

SUBPART T STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS PHOSPHORIC ACID PLANTS

Date First Adopted (40FR33154, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)

SUBPART U STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: SUPERPHOSPHORIC ACID PLANTS

Date First Adopted (40FR33155, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)

SUBPART V STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM PHOSPHATE PLANTS

Date First Adopted (40FR33155, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)

SUBPART W STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: TRIPLE SUPERPHOSPHATE PLANTS

Date First Adopted (40FR33156, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)

SUBPART X STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: GRANULAR TRIPLE SUPERPHOSPHATE STORAGE FACILITIES

Date First Adopted	(40FR33156, Aug. 6, 1975)
Date Last Amended	(65FR61757, Oct. 17, 2000)

SUBPART Y STANDARDS OF PERFORMANCE FOR COAL PREPARATION PLANTS

Date First Adopted (41FR2234, Jan. 15, 1976) Date Last Amended (65FR61757, Oct. 17, 2000)

SUBPART Z STANDARDS OF PERFORMANCE FOR FERROALLOY PRODUCTION FACILITIES

Date First Adopted (41FR18501, May 4, 1976) Date Last Amended (65FR61758, Oct. 17, 2000)

SUBPART AA STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES CONSTRUCTED AFTER OCTOBER 21, 1974, AND ON OR BEFORE AUGUST 17, 1983

Date First Adopted (40FR43842, Sept. 23, 1975) Date Last Amended (65FR61758, Oct. 17, 2000)

SUBPART AAa STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES AND ARGON-OXYGEN DECARBURIZATION VESSELS CONSTRUCTED AFTER

AUGUST 17, 1983

Date First Adopted (49FR43845, Oct. 31, 1984) Date Last Amended (65FR61758, Oct. 17, 2000)

SUBPART BB STANDARDS OF PERFORMANCE FOR KRAFT PULP MILLS

Date First Adopted (43FR7572, Feb. 23, 1978) Date Last Amended (65FR61759, Oct. 17, 2000)

SUBPART CC STANDARDS OF PERFORMANCE FOR GLASS MANUFACTURING PLANTS

Date First Adopted (45FR66751, Oct. 7, 1980) Date Last Amended (65FR61759, Oct. 17, 2000)

SUBPART DD STANDARDS OF PERFORMANCE FOR GRAIN ELEVATORS

Date First Adopted (43FR34347, Aug. 3, 1978) Date Last Amended (65FR61759, Oct. 17, 2000)

SUBPART EE STANDARDS OF PERFORMANCE FOR SURFACE COATING OF METAL FURNITURE

Date First Adopted (47FR49287, Oct. 29, 1982) Date Last Amended (65FR61759, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART GG STANDARDS OF PERFORMANCE FOR STATIONARY GAS TURBINES

Date First Adopted (44FR52798, Sept. 10, 1979) Date Last Amended (65FR61759, Oct. 17, 2000)

SUBPART HH STANDARDS OF PERFORMANCE FOR LIME MANUFACTURING PLANTS

Date First Adopted (43FR18080, Apr. 26, 1984) Date Last Amended (65FR61760, Oct. 17, 2000)

SUBPART KK STANDARDS OF PERFORMANCE FOR LEAD-ACID BATTERY MANUFACTURING PLANTS

Date First Adopted (47FR16573, Apr. 16, 1982) Date Last Amended (65FR61760, Oct. 17, 2000)

SUBPART LL STANDARDS OF PERFORMANCE FOR METALLIC MINERAL PROCESSING PLANTS

Date First Adopted (49FR6464, Feb. 21, 1984) Date Last Amended (65FR61760, Oct. 17, 2000)

SUBPART MM STANDARDS OF PERFORMANCE FOR AUTOMOBILE AND LIGHT DUTY TRUCK SURFACE COATING OPERATIONS

Date First Adopted (45FR85415, Dec. 24, 1980) Date Last Amended (65FR61760, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART NN STANDARDS OF PERFORMANCE FOR PHOSPHATE ROCK PLANTS

Date First Adopted (47FR16589, Apr. 16, 1982) Date Last Amended (65FR61760, Oct. 17, 2000)

SUBPART PP

STANDARDS OF PERFORMANCE FOR AMMONIUM SULFATE MANUFACTURE

Date First Adopted (45FR74850, Nov. 12, 1980) Date Last Amended (65FR61760, Oct. 17, 2000)

SUBPART QQ

STANDARDS OF PERFORMANCE FOR THE GRAPHIC ARTS INDUSTRY: PUBLICATION ROTOGRAVURE PRINTING

Date First Adopted (47FR50649, Nov. 8, 1982) Date Last Amended (65FR61761, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART RR

STANDARDS OF PERFORMANCE FOR PRESSURE SENSITIVE TAPE AND LABEL SURFACE COATING OPERATIONS

Date First Adopted (48FR48375, Oct. 18, 1983) Date Last Amended (65FR61761, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART SS

STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING: LARGE APPLIANCES

Date First Adopted (44FR47785, Oct. 27, 1982) Date Last Amended (65FR61761, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART TT

STANDARDS OF PERFORMANCE FOR METAL COIL SURFACE COATING

Date First Adopted (47FR49612, Nov. 1, 1982) Date Last Amended (65FR61761, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART UU

STANDARDS OF PERFORMANCE FOR ASPHALT PROCESSING AND ASPHALT ROOFING MANUFACTURE

Date First Adopted (47FR34143, Aug. 6, 1982) Date Last Amended (65FR61762, Oct. 17, 2000)

SUBPART VV

STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY

Date First Adopted (48FR48335, Oct. 18, 1983) Date Last Amended (65FR78278, Dec. 14, 2000)

SUBPART WW

STANDARDS OF PERFORMANCE FOR THE BEVERAGE CAN SURFACE COATING INDUSTRY

Date First Adopted (48FR38737, Aug. 25, 1983) Date Last Amended (65FR61763, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART AAA

STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS

Date First Adopted (52FR5860, Feb. 26, 1988) Date Last Amended (65FR61764, Oct. 17, 2000)

SUBPART BBB

STANDARDS OF PERFORMANCE FOR THE RUBBER TIRE MANUFACTURING INDUSTRY

Date First Adopted (52FR34868, Sept 15, 1987) Date Last Amended (65FR61765, Oct. 17, 2000)

SUBPART DDD

STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM THE POLYMER MANUFACTURING INDUSTRY

Date First Adopted (55FR51010, Dec. 11, 1990) Date Last Amended (65FR78278, Dec. 14, 2000)

NOTE: The 14-day rolling ethylene glycol concentration averaging periods specified in the federal standards are deleted and replaced with a daily concentration standard for affected facilities.

SUBPART FFF

STANDARDS OF PERFORMANCE FOR FLEXIBLE VINYL AND URETHANE COATING AND PRINTING

Date First Adopted (49FR26892, Jun. 29, 1984) Date Last Amended (65FR61768, Oct. 17, 2000)

NOTE: The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

SUBPART GGG

STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN PETROLEUM REFINERIES

Date First Adopted (49FR22606, May 30, 1984) Date Last Amended (65FR61768, Oct. 17, 2000)

SUBPART HHH

STANDARDS OF PERFORMANCE FOR SYNTHETIC FIBER PRODUCTION FACILITIES

Date First Adopted (49FR13651, Apr. 5, 1984) Date Last Amended (65FR61769, Oct. 17, 2000)

NOTE: The six month rolling average basis specified in the federal standards is deleted and replaced with a 24 hour emission averaging periods for affected facilities.

SUBPART III

STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM THE SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY (SOCMI) AIR OXIDATION UNIT PROCESSES

Date First Adopted (55FR26912 June 29, 1990) Date Last Amended (65FR78278, Dec. 14, 2000)

SUBPART J.J.J

STANDARDS OF PERFORMANCE FOR PETROLEUM DRY CLEANERS

Date First Adopted (49FR37331, Sept. 21, 1984) Date Last Amended (65FR61773, Oct. 17, 2000) **NOTE:** The observation of a leak in excess of the requirements of the rule constitutes a violation of the rule. This provision added under Section 60.622.

SUBPART KKK

STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC FROM ONSHORE NATURAL GAS PROCESSING PLANTS

Date First Adopted (50FR26124, Jun. 24, 1985) Date Last Amended (65FR61773, Oct. 17, 2000)

SUBPART LLL STANDARDS OF PERFORMANCE FOR ONSHORE NATURAL GAS PROCESSING; SO₂ EMISSIONS

Date First Adopted (50FR40160, Oct. 1, 1985) Date Last Amended (65FR61774, Oct. 17, 2000)

SUBPART NNN STANDARDS OF PERFORMANCE FOR VOLATILE

ORGANIC COMPOUND EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY

(SOCMI) DISTILLATION OPERATIONS

Date First Adopted (55FR26931, June 29, 1990) Date Last Amended (65FR78279, Dec. 14, 2000)

SUBPART OOO STANDARDS OF PERFORMANCE FOR NONMETALLIC

MINERAL PROCESSING PLANTS

Date First Adopted (51FR31337, Aug. 1, 1985) Date Last Amended (65FR61778, Oct. 17, 2000)

SUBPART PPP STANDARDS OF PERFORMANCE FOR WOOL FIBERGLASS INSULATION MANUFACTURING PLANTS

Date First Adopted (50FR7699, Feb. 25, 1985) Date Last Amended (65FR61778, Oct. 17, 2000)

SUBPART QQQ STANDARDS OF PERFORMANCE FOR VOC EMISSIONS

FROM PETROLEUM REFINERIES WASTE WATER

SYSTEMS

Date First Adopted (53FR47616, Nov. 23, 1988) Date Last Amended (65FR61778, Oct. 17, 2000)

SUBPART RRR STANDARDS OF PERFORMANCE FOR VOLATILE

ORGANIC COMPOUND EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY

REACTOR PROCESSES

Date First Adopted (58FR45963, Aug. 31, 1993) Date Last Amended (65FR78279, Dec. 14, 2000)

SUBPART SSS STANDARDS OF PERFORMANCE FOR MAGNETIC TAPE COATING FACILITIES

Date First Adopted (53FR38892, Oct. 3, 1988) Date Last Amended (64FR7467, Feb. 12, 1999)

SUBPART TTT STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING; SURFACE COATING OF PLASTIC

PARTS FOR BUSINESS MACHINES

Date First Adopted (53FR2672, Jan. 29, 1988) Date Last Amended (65FR61778, Oct. 17, 2000)

SUBPART UUU STANDARDS OF PERFORMANCE FOR CALCINERS AND DRYERS IN MINERAL INDUSTRIES

Date First Adopted (57FR44496, Sept. 28, 1992) Date Last Amended (65FR61778, Oct. 17, 2000)

SUBPART VVV STANDARDS OF PERFORMANCE FOR POLYMERIC COATING OF SUPPORTING SUBSTRATES

Date First Adopted (53FR37534, Sept. 11, 1989)

SUBPART WWW STANDARDS OF PERFORMANCE FOR MUNICIPAL SOLID WASTE LANDFILLS

Date First Adopted (61FR9905, March 12, 1996) Date Last Amended (65FR61778, Oct. 17, 2000)

SUBPART AAAA STANDARDS OF PERFORMANCE FOR SMALL MUNICIPAL

WASTE COMBUSTION UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 30, 1999 OR FOR WHICH MODIFICATION OR RECONSTRUCTION IS COMMENCED AFTER JUNE 6, 2001

Date First Adopted (65FR76355, Dec. 6, 2000)

SUBPART CCCC STANDARDS OF PERFORMANCE FOR COMMERCIAL AND

INDUSTRIAL SOLID WASTE INCINERATION UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER NOVEMBER 30, 1999 OR FOR WHICH MODIFICATION OR RECONSTRUCTION IS COMMENCED ON OR AFTER JUNE 1, 2001

Date First Adopted (65FR75350, Dec. 1, 2000) Date Last Amended (66FR16606, Mar. 27, 2001)